

### **How Does It Work?**

Induction Hob Require
Induction Compatible Magnetic Cookware







- The technology is based on induction hob that heat the pot or pan directly, rather than, heating the countertop.
- The use of INVISACOOK is suitable for stainless steel metal pots and pans.
- By using the placemat provided with the product, the heat transferred from the pot to the surface is reduced and does not overheat the surface.
- The use of INVISACOOK is suitable for all-natural stone, granite that is milled to 15mm, 12 mm, and the ultra-compact porcelain material that is 12 mm. Not suitable for "quartz countertops".
- 5-year warranty (full warranty for the first year + four-year warranty limited)




### Benefits





- Energy saving, as 90% of the energy is used directly to heat the induction cookware.
- Easy maintenance and cleaning, due to a seamless kitchen.
  - The control-panel can be hidden from environmental influences and can be controlled using a mobile phone or tablet.
  - Heat & Safety Control The unit supplies or cuts off energy immediately by operating the unit through the touch screen control-panel.
  - Can also be used in outdoor kitchens.





## **Products**

#### 2 Burner Unit



#### For use in a typical kitchen Or outdoor kitchen.

Length	Length 50.7 cm	
Width	29.3 cm	
Height	5.5 cm	
Cooking temp	g temp 36°C-205°C	
AC Input	220/240V	

#### **3** Burner Unit



### For use in a typical kitchen Or outdoor kitchen.

Length	76 cm	
Width	39 cm	
Height	5.5 cm	
Cooking temp	36°C-205°C	
AC Input	220/240V	

#### 4 Burner Unit



### For use in a typical kitchen, a large outdoor kitchen

Length	57.8 cm		
Width	50.7cm		
Height	5.5 cm		
Cooking temp	36°C-205°C		
AC Input	220/240V		

#### **5** Burner Unit




#### For use in a typical and very active kitchen.

Length	90.5 cm	
Width	51.5 cm	
Height	5.5 cm	
Cooking temp	36°C-205°C	
AC Input	220/240V	



# Controller



The controller can be attached to a surface, or in a hidden drawer.

Contro	ller dimensions	Upper	Lower
Length Width Height	Length	8.4 cm	6 cm
	Width	28.9 cm	25.8 cm
	Height	2.3 cm	

Can be activated via an app











### Induction & Anti-Slip Cooking Mat

### INVISA MAT SHOULD ALWAYS BE USED WHILE USING







#### Flexible and Durable

Formula of silicone and fiberglass prevents scratches and scrapes from contact with cookware.

- The INVISA》MAT Reduce the intensity of the heat transferred from the pot to the surface by 50%.
- Dishwasher safe.



# Recommended Countertops

The Invisacook hob can be connected to all types of granite (up to 15mm) & porcelain (up to 12 mm).

Examples of some of the common brands that have been tested and

approved by INVISACOOK global:































